




Lite Series

Versatile cost-effective LED panel

Specially design for Indoor& outdoor large size LED rental installation




500x1000mm




500x500mm

- ▶ Die casting cabinet design
- ▶ Fast lock, light, easy for installation
- ▶ 500x500 & 500x1000 can be **Mix-Match Use**




- ▶ **Rapid dismantle**
LED module
Power box



► Creative installa


Concave & convex

360 round display




Modular Design

▶ 90 degree right angle
corner Splicing
(Optional)



▶ Hanging system

Floor-stand stacking system



▶ Installation ways

Specification

Indoor models

Pixel pitch	2.6mm	2.9mm	3.9mm
LED configuration	SMD1515	SMD1515	SMD2020
Brightness	800 nits	800 nits	800 nits
Viewing angle	160°/ 160° (50% brightness)		
Scan mode	1/24	1/28	1/16
Refresh rate	1920/3840/7680Hz		
Processing	14/16 bits		
Module size	250mm x 250mm x 17mm (W x H x D)		
Panel size	500mm x 500mm x 90mm (W x H x D)	500mm x 1000mm x 90mm (W x H x D)	
Panel weight	7.3kg / 16.09lbs	7.3kg / 16.09 lbs.	7.1kg / 15.65lbs
Input voltage	AC100~240V 50/60 HZ		
Power consumption (Avg)	200W/sqm	200W/sqm	200W/sqm
Power consumption (Ma)	640W/sqm	640W/sqm	680W/sqm
Working temperature	-20°C~60°C		
IP rating	IP31/IP31		
Life span	100,000 hrs		
Warranty	24 months		

Specification

Outdoor models

Pixel pitch	2.9mm	3.9mm	4.8mm
LED configuration	SMD1415(Outdoor)	SMD1921	SMD1921
Brightness	3500 nits	3500 nits	3500nits
Viewing angle	160°/ 160° (50% brightness)		
Scan mode	1/21	1/16	1/13
Refresh rate	1920/3840Hz		
Processing	14 bits		
Module size	250mm x 250mm x 17mm (W x H x D)		
Panel size	500mm x 500mm x 90mm (W x H x D)	500mm x 1000mm x 90mm (W x H x D)	
Panel weight	11.5kg	11.5kg	11.5kg
Input voltage	AC100~240V 50/60 HZ		
Power consumption (Avg)	200W/sqm	200W/sqm	200W/sqm
Power consumption (Max)	640W/sqm	640W/sqm	680W/sqm
Working temperature	-20°C~60°C		
IP rating	IP65/IP65		
Life span	100,000 hrs		
Warranty	24 months		



TV Stage



Indoor events



Outdoor music concert



Outdoor creative
installations



DOIT VISION Service

Customer' value is our top priority



Free inquiry with solutions

We will quote for any inquiry within 24 hours with quotations & specifications



Free drawing

Free drawing of structure, signal & power cable connection, customized solutions if needed



7/24 online technical support

Sales technical supports are ready anytime within warranty

Contacts



Address.

10 Aigeos Street, 1st Floor, Office Suite 1
Nicosia 1035, Cyprus



Tel.

Tel: +357 22 030 030
Fax: +357 22 030 031



Email.

info@intelligentsignage.cy