


Flexible Modules Series



A Creative LED Display

for flexible curve indoor application






Front Service With strong Magnet


Full range of LED indoor display pixel pitch ranges from 1.2mm to 4mm with different sizes to match different kinds of application.

Super slim

Super light&Slim: Only 7kg/SQM,
6mm thickness.



6mm



Easy installation

- Module installation
- Magnetic front service
- Customized shape cabinet frame

FX Series

Specification

Pixel pitch	1.25 mm	1.59mm	1.667mm	1.875mm
LED configuration	SMD1010	SMD1010	SMD1010	SMD1515
Brightness	600 nits	650 nits	700 nits	750nits
Viewing angle	160°/ 140° (50% brightness)			
Scan mode	1/48	1/38	1/36	1/32
Refresh rate	1920/3840Hz			
Processing	16 bits			
Module size	240mm x 120mm x 9.5mm (W x H x D)	9.44'' x 4.72'' x 0.37'' (W x H x D)		
Module weight	0.215kg			
Contrast	5000:1			
Input voltage	AC100~240V 50/60 HZ			
Power consumption (Avg)	340W/sqm	340W/sqm	270W/sqm	270W/sqm
Power consumption (Max)	1000W/sqm	1000W/sqm	800W/sqm	800W/sqm
Working temperature	-20°C~60°C			
IP rating	IP31/IP45			
Life span	100,000 hrs.			
Warranty	24 months			

FX Series

Specification


Pixel pitch	2 mm	2.5mm	3mm	4mm
LED configuration	SMD1515	SMD1515	SMD2121	SMD2121
Brightness	750 nits	800nits	800 nits	800nits
Viewing angle	160°/ 140° (50% brightness)			
Scan mode	1/30	1/24	1/20	1/15
Refresh rate	1920/3840Hz			
Processing	16 bits			
Module size	240mm x 120mm x 9.5mm (W x H x D)	9.44'' x 4.72'' x 0.37'' (W x H x D)		
Module weight	0.215kg			
Contrast	5000:1			
Input voltage	AC100~240V 50/60 HZ			
Power consumption (Avg)	270W/sqm			
Power consumption (Max)	800W/sqm			
Working temperature	-20°C~60°C			
IP rating	IP31/IP45			
Life span	100,000 hrs.			
Warranty	24 months			

Flexible



Project Gallery

Show Room



Project Gallery

Events



Project Gallery

Shopping mall



Project Gallery

Arts



Project Gallery

Duty Free Shops

DOIT VISION Service

Customer' value is our top priority



Free inquiry with solutions

We will quote for any inquiry within 24 hours with quotations & specifications



Free drawing

Free drawing of structure, signal & power cable connection, customized solutions if needed



7/24 online technical support

Sales technical supports are ready anytime within warranty

Contacts



Address.

10 Aigeos Street, 1st Floor, Office Suite 1
Nicosia 1035, Cyprus



Tel.

Tel: +357 22 030 030
Fax: +357 22 030 031



Email.

info@intelligentsignage.cy